Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#	7.1.0	Jean Quely	003	Operator	i iuiuis	Time Stamp
S1	451	secure with communicat\$3 with service	USPAT; EPO; JPO	OR	ON	2003/07/25 13:27
S2	31	secure with communicat\$3 with service and central near (manage\$4 or office)	USPAT; EPO; JPO	OR	ON	2003/07/25 13:28
S3	8	"5960086".URPN.	USPAT	OR	OFF	2003/07/25 13:45
S4	4	"5509054".URPN.	USPAT	OR	OFF	2003/07/25 13:46
S5	2	(secur\$3 with "end-to-end") same (central with (manage\$4 or office))	USPAT; EPO; JPO	OR .	ON	2003/07/25 13:57
S6	0	third with party with securing with line	USPAT; EPO; JPO	OR	ON	2003/07/25 13:58
S7	7	("4853962"   "4878246"   "5081677"   "5115467"   "5199073"   "5351293"   "5602915").PN.	USPAT	OR	OFF	2003/07/25 14:08
S8	52	"5351293".URPN.	USPAT	OR	OFF	2003/07/25 14:09
S9	345	380/44.ccls.	USPAT	OR	OFF	2003/07/25 14:19
S10	78	380/273.ccls.	USPAT	OR	OFF	2003/07/25 14:19
S11	6	tunnel\$3 with third near party	USPAT	OR	ON	2003/07/25 17:24
S12	9	"5960086".URPN.	USPAT	OR	OFF	2004/01/12 16:31
S13	754	public adj keys with generate with key	USPAT	OR	ON	2004/01/12 16:40
S14	1200	public adj keys with generat\$3 with key	USPAT	OR	ON	2004/01/12 17:05
S15	1	(public adj keys with generat\$3 with key ) with central with office	USPAT	OR	ON	2004/01/12 16:41
S16	30	"5402490".URPN.	USPAT	OR	OFF	2004/01/12 16:42
S17	25	public adj keys with generat\$3 with common adj key	USPAT	OR	ON	2004/01/12 16:48
S18	30	"5402490".URPN.	USPAT	OR	OFF	2004/01/12 16:58
S19	2	"6253322".URPN.	USPAT	OR	OFF	2004/01/12 16:58
S20	1	"6240513".URPN.	USPAT	OR	OFF	2004/01/12 16:59
S21	22	"5144665".URPN.	USPAT	OR	OFF	2004/01/12 17:01
S22	14	("3665162"   "4423287"   "4438824"   "4691350"   "4956863"   "5012514"   "5029207"   "5033084"   "5036461"   "5077790"   "5093860"   "5161189"   "5185795"   "5189700").PN.	USPAT	OR	OFF	2004/01/12 17:04
S23	767	us\$3 with public adj keys with generat\$3	USPAT	OR	ON	2004/01/12 17:06

			T	T	···	
S24	24	us\$3 with public adj keys with generat\$3 with (third or common) adj key	USPAT	OR	ON	2004/01/12 17:06
S25	15	us\$3 with public adj keys with generat\$3 with (third or common) adj key not optical	USPAT	OR	ON	2004/01/12 17:07
S26	33	"5124117".URPN.	USPAT	OR	OFF	2004/01/13 09:48
S27	0	"5903649".URPN.	USPAT	OR	OFF	2004/01/13 09:56
S28	0	"5903649".URPN.	USPAT	OR	OFF	2004/01/13 09:56
S29	31	"5313521".URPN.	USPAT	OR	OFF	2004/01/13 09:56
S30	96	secur\$3 with communicat\$3 and key adj escrow	USPAT	OR	ON	2004/09/27 10:38
S31	76	secur\$3 with communicat\$3 and key adj escrow and @ad<"19990218"	USPAT	OR	ON	2004/09/27 13:44
S32	0	"6775382".URPN.	USPAT	OR	OFF	2004/09/27 11:38
S33	8	("5142578"   "5481613"   "5557346"   "5557765"   "5768373"   "5796830"   "6216229"   "6289105").PN.	USPAT	OR	OFF	2004/09/27 11:38
534	5	central adj office with key with database	USPAT	OR	ON	2004/09/27 13:52
S35	0	central adj office same public with key with database	USPAT	OR	ON	2004/09/27 13:53
S36	0	central adj office same public with key with database not (central adj office with key with database)	USPAT	OR	ON	2004/09/27 13:53
S37	791	(encrypt\$3 or public) with key with database	USPAT	OR	ON	2004/09/27 13:53
S38	0	central with office with (encrypt\$3 or public) with key with database	USPAT	OR	ON	2004/09/27 13:53
S39	367	(encrypt\$3 or public) with key with database and secur\$3 with communicat\$3	USPAT	OR `	ON	2004/09/27 13:54
S40	227	(encrypt\$3 or public) with key with database and secur\$3 with communicat\$3 and @ad<"19990219"	USPAT	OR	ON	2004/09/27 13:55
S41	4	(encrypt\$3 or public) with key with database and secur\$3 with communicat\$3 and central adj office and @ad<"19990219"	USPAT	OR	ON	2004/09/27 13:55

S42	4	(encrypt\$3 or public) with key with database and secur\$3 with communicat\$3 and central adj office and @ad<"19990219" not (central adj office with key with database)	USPAT	OR	ON	2004/09/27 13:58
S43	30	common with channel with signaling with ("number 7" or "no. 7")	USPAT	OR	ON	2004/09/27 13:59
S44	22	common with channel with signaling with ("number 7" or "no. 7") and @ad<"19990218"	USPAT	OR .	ON	2004/09/27 13:59
S45	1935	(common with channel with signaling with ("number 7" or "no. 7") or SS7) and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:04
S46	653	(common with channel with signaling with ("number 7" or "no. 7") or SS7) and (encrypt\$3 or secur\$3) and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:05
S47	· 79	(common with channel with signaling with ("number 7" or "no. 7") or SS7) same (encrypt\$3 or secur\$3) and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:06
S48	22	(common with channel with signaling with ("number 7" or "no. 7") or SS7) with (encrypt\$3 or secur\$3) and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:09
S49	0	(common with channel with signaling with ("number 7" or "no. 7") or SS7) with key adj database and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:09
S50	1	(common with channel with signaling with ("number 7" or "no. 7") or SS7) same key adj database and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:10
S51	1	(channel with signaling with ("number 7" or "no. 7") or SS7) same key adj database and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:10
S52	167	(channel with signaling with ("number 7" or "no. 7") or SS7) and key with database and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:11
S53	19	(channel with signaling with ("number 7" or "no. 7") or SS7) and key adj database and @ad<"19990218"	USPAT	OR	ON	2004/09/27 14:12

S54	. 8	(channel with signaling with ("number 7" or "no. 7") or SS7) and key adj database and (encrypt\$3 or secur\$3) and	USPAT	OŖ	ON	2004/09/27 14:13
S55	0	@ad<"19990218" retriev\$3 with (public or common) with key with central with office with database	USPAT	OR	ON	2004/09/27 14:27
S56	2	retriev\$3 with (public or common) with key with database and (SS7 or (signa\$3 with channel with "number 7"))	USPAT	OR	ON	2004/09/27 14:28
S57	76	retriev\$3 with (public or common) with key with database	USPAT	OR	ON	2004/09/27 14:29
S58	55	retriev\$3 with (public or common) with key with database and @ad<"19990218"	USPAT	OR	ON	2004/09/27 15:13
S59	0	"6584563".URPN.	USPAT	OR	OFF	2004/09/27 14:53
S60	3	("4172213"   "5434920"   . "5442708").PN.	USPAT	OR	OFF	2004/09/27 14:53
S61	12	"5434920".URPN.	USPAT	OR	OFF	2004/09/27 14:54
S62	0	matusi.in.	JPO	OR	ON	2004/09/27 15:13
S63	28050	matsui.in.	JPO	OR	ON	2004/09/27 15:13
S64	672	matsui.in. and fujitsu.as.	JPO	OR	ON	2004/09/27 15:13
S65	1	matsui.in. and fujitsu.as. and "19981029".ad.	JPO	OR ,	ON	2004/09/27 15:13
S66	0	public adj key near database with encrypt\$3 near number	US-PGPUB; USPAT	OR	ON	2005/05/17 16:41
S67	2	public adj key near database same encrypt\$3 near number	US-PGPUB; USPAT	OR	ON	2005/05/17 16:42
S68	44	public adj key near database and encrypt\$3 near number	US-PGPUB; USPAT-	OR .	ON	2005/05/17 16:42
S69	0	public adj key near database and encrypt\$3 with dial\$3 with number	US-PGPUB; USPAT	OR	ON	2005/05/17 16:42
S70	23	public adj key near database and encrypt\$3 with call\$3 with number	US-PGPUB; USPAT	OR	ON	2005/05/17 16:47
S71	8	public adj key near database and encrypt\$3 with telephon\$3	US-PGPUB; USPAT	OR	ON	2005/05/17 16:50
S72	4534	encrypt\$3 with (call\$3 dial\$3)	US-PGPUB; USPAT	OR	ON	2005/05/17 16:51
S73	548	encrypt\$3 with dial\$3	US-PGPUB; USPAT	OR	ON	2005/05/17 16:51
S74	281	encrypt\$3 with (call\$3 dial\$3) and key adj database	US-PGPUB; USPAT	OR	ON	2005/05/17 16:52
S75	7	encrypt\$3 with (call\$3 dial\$3) same key adj database	US-PGPUB; USPAT	OR	ON .	2005/05/17 16:52

			I	1		
S76	225	public adj key near database	US-PGPUB; USPAT	OR	ON	2005/05/18 11:15
S77	1	public adj key near database same switch\$3	US-PGPUB; USPAT	OR	ON	2005/05/18 11:16
S78	326	key near database and telephon\$3 with switch\$3	US-PGPUB; USPAT	OR	ON	2005/05/18 11:16
S79	6	key near database same telephon\$3 with switch\$3	US-PGPUB; USPAT	OR	ON	2005/05/18 11:21
S80	52629	fuji\$3.as.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:22
S81	501	fuji\$3.as. and kimura.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:22
S82	70	fuji\$3.as. and kimura-m\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:22
S83	. 0	fuji\$3.as. and kimura-maso.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:22
S84	55	fuji\$3.as. and kimura-ma\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S85	49	fuji\$3.as. and kimura-mas\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S86	49	fuji\$3.as. and kimura-masa\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S87	0	fuji\$3.as. and kimura-masao\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S88	0	fuji\$3.as. and kimura-misao\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S89	0	fuji\$3.as. and kimura-mis\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S90	0	fuji\$3.as. and kimura-mi\\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:23
S91	14	fuji\$3.as. and kimura-mi\$.in.	US-PGPUB; USPAT	OR	ON	2005/05/18 11:25
S92	75	fuji\$3.as. and kimura-mi\$.in.	JPO; DERWENT	OR	ON	2005/05/18 11:25
S93	9	fuji\$3.as. and kimura-misao\$.in.	JPO; DERWENT	OR	ON	2005/05/18 11:25
S94	9	fuji\$3.as. and kimura-misao.in.	JPO; DERWENT	OR	ON	2005/05/18 11:25
S95	0	("6584563").URPN.	USPAT	OR	OFF	2005/05/18 11:39
S96	412	secur\$3 with telephon\$ with switch	US-PGPUB; USPAT	OR	ON	2005/05/18 11:39
S97	2	secur\$3 with telephon\$ with switch and key near database	US-PGPUB; USPAT	OR	ON	2005/05/18 11:40
S98	186	secur\$3 with telephon\$ and key near database	US-PGPUB; USPAT	OR	ON	2005/05/18 11:41

S99	6	secur\$3 with telephon\$ same key near database	US-PGPUB; USPAT	OR	ON	2005/05/18 11:41
S10 0	3	secur\$3 with telephon\$ same key near database not S79	US-PGPUB; USPAT	OR	ON	2005/05/18 11:47
S10 1	13	(("5940187") or ("6098056") or ("6088799") or ("6067546") or ("6035402") or ("5901284") or ("5724426") or ("5572193") or ("5546447") or ("5325419") or ("5239294") or ("5003595")).PN.	USPAT	OR	OFF	2005/05/18 11:48
S10 2	7	("6067546").URPN.	USPAT	OR ·	OFF	2005/05/18 13:24
S10 3	15	("5901284").URPN.	USPAT	OR	OFF	2005/05/18 13:24
S10 4	12	("5724426").URPN.	USPAT	OR	OFF	2005/05/18 13:28
S10 5	113	("5239294").URPN.	USPAT	OR	OFF	2005/05/18 13:32
S10 6	17	("5689563").URPN.	USPAT	OR	OFF	2005/05/18 13:53
S10 7	18	google.as.	US-PGPUB; USPAT	OR	OFF	2005/05/19 10:34
S10 8	54	switch\$3 with session adj key	US-PGPUB; USPAT	OŖ	ON	2005/05/24 15:54
S10 9	131	switch\$3 with (common session) adj key	US-PGPUB; USPAT	OR	ON	2005/05/24 15:54
S11 0	83	switch\$3 with (common session) adj key and (@ad<"19990218" @prad<"19990218")	US-PGPUB; USPAT	OR	ON	2005/05/24 15:55